

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

- 一.
1. On average, there are three misprints in every 10 pages of a book, and the occurrence of these misprints form a Poisson process. If all 12 chapters of the book each contain 30 pages, what is the probability that
 - (a) a chapter has at most 10 misprints? (4%)
 - (b) There are fewer than 2 chapters with more than 10 misprints? (6%)
 2. A card is selected from a well-mixed deck. Let E be the event that the card is a heart, and let F be the event that the card is a face card.
 - (a) Determine $\Pr(E)$ and $\Pr(F)$. (2%)
 - (b) Determine $\Pr(E|F)$ and $\Pr(F|E)$. (5%)
 - (c) Are E and F independent? Are E and F mutually disjoint? (3%)

- 二.
- (a) (5 points) What is a sampling distribution?
 - (b) (5 points) State 'The Central Limit Theorem' and explain its importance in Statistical applications.
 - (c) (10 points) According to Nielsen Media Research, the average number of hours of TV viewing per household per week in the United States is 50.4 hours. Suppose the standard deviation is 11.8 hours and a random sample of 42 households are taken. What is the probability that the sample average is less than 40 hours? (Justify your computation) If the sample average actually is less than 40 hours, what would it mean in terms of the Nielsen Media Research figures?

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

三. 1. A researcher fitted a multiple regression model with 50 cases and six explanatory variables. Then, he asked you to test whether the coefficients of the first three explanatory variables are all zero. In order to help him, you have to provide the solutions for the following questions.

(a) What is the regression equation under H_0 ? (2%)

(b) What are the degrees of freedom for the F statistic in testing (a)? (3%)

2. Some studies of human nutrition use body density, a variable that is hard to measure directly—the standard method requires that subjects be weighed under water. Research suggests that *skinfold thickness* can predict body density. The explanatory variable LSKIN is the log of the sum of four skinfold measures, and the response variable Y is body density. SAS output from PROC REG for data on a sample of male subjects aged 20 to 29 is given.

Dependent Variable: Y

Analysis of Variance				
Source	DF	Sum of Squares	Mean Square	F Value
Model	1	0.01691	0.01691	231.894
Error	90	0.00656	0.00007	
C Total	91	0.02347		

Root MSE	0.00854	R-square	0.7204
Dep Mean (\bar{Y})	1.06403	Adj R-sq	0.7173
C.V.	0.80252		

Parameter Estimates			
Variable	DF	Parameter Estimate	Standard Error
INTERCEPT	1	1.162999	0.00855864
LSKIN	1	-0.063119	0.00414491

※The output exhibits the sum of squares and standard errors are quite small, so it is suggested to round decimals at least up to the ten thousandths (至少四捨五入至小數點後第四位).

(a) What is the sample correlation coefficient of LSKIN and Y? (3%)

(b) At $\alpha = 0.05$, test whether the coefficient of LSKIN is negative. (5%)

(c) A 25 year old male has LSKIN=1.5, construct 95% interval estimate for his body density. (Note: Use the above output to derive the values needed in computing the interval estimate.) (7%)

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

12. A: Multiple choice (only one answer is correct)(1.5% x 6 = 9%)

- The advantage of balanced data in the fixed effect ANOVA F test is (1) F is very sensitive to normality (2) F is robust to small difference in variances (3) F is the most powerful (4) (1)+(2) (5) (1)+(3) (6) (2)+(3) (7) none of above
- Before the experiment, the experimenter knows the relationship between factor x and response variable y is linear, then the number of levels of x should take ?? in the experiment.
(1) 2 (2) 3 (3) 4 (4) 5 (5) none of above
- For a fixed effect one-factor ANOVA model, which one is correct?
(1) $\sum_{i=1}^a \mu_i = \sum_{i=1}^a \mu$ (μ_i is treatment mean, μ is overall mean) (2) $\sum_{i=1}^a \sum_{j=1}^n e_{ij} = 0$ (e_{ij} is residual) (3) $\sum_{i=1}^a \tau_i = 0$ (τ_i is treatment effect) (4) (1)+(2) (5) (1)+(2)+(3) (6) None of above
- In one-factor ANOVA table, x is significant but R square (or adjusted R square) is low, then it indicates (1) in fact, x is not significant (2) the effect of nuisance factors is low (3) some other important factors are neglected in the experiment (4) too many levels for x factor (5) none of above
- Block factor is a (1) controllable main factor (2) uncontrollable nuisance factor (3) method to reduce error of experiment (4) (1)+(3) are correct (5) (2) +(3) are correct
- A two-factor ANOVA table shows that the interaction (X_1X_2) of factors (X_1, X_2) is significant, the response surface should include
(1) X_1, X_1X_2 (2) X_2, X_1X_2 (3) only X_1X_2 (4) X_1, X_2 and X_1X_2 (5) none of above

B. Three brands of batteries are under study. It is suspected that the lives (in weeks) of the three brands are different. Three batteries of each brand are tested with the following results:

<u>Weeks of Life</u>		
Brand 1	Brand 2	Brand 3
30	6	35
25	10	30
20	5	25

Total 75	21	90

Note: $\sum_{i=1}^3 \sum_{j=1}^3 y_{ij}^2 = 4836$

- How to plan the experiment to collect the data in the Table? (2%)
- Test if the average lives (in weeks) of the three brands are different, and give conclusion. $\alpha = 0.05$ (4%)
- If the test result in (2) is to reject H_0 , then test if the average lives (in weeks) of the **brand 1** and **brand 2** are different? $\alpha = 0.05$ (2%)
- If the test result in (3) is to reject H_0 then calculate the power (or 1-type II error probability), given $\mu_{brand1} - \mu_{brand2} = 15$. (3%)

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

五.


The following hypothetical table refers to passengers in autos and light trucks involved in accidents in a town. The table classified passengers by whether they were wearing a seat belt and by whether they were injured or killed.

		Injury or Killed	
		Yes	No
Seat Belt	Yes	6	54
	No	8	32

1. (7%) Test the hypothesis of independence. State the null and alternative hypotheses, and the test statistic. Find and interpret the p -value. What is your conclusion? (Use $\alpha = 0.05$)
2. (7%) Test to see if there is any difference in the proportions of injury between passengers wearing seat belts and those not wearing them. State the null and alternative hypotheses, the test statistic, and your decision rule. What is your conclusion? Are you surprised with the result? Why or why not? (Use $\alpha = 0.05$)
3. (3%) Do you reach the same conclusion in (1) and (2)? Do they have to be the same? Explain.
4. (3%) Estimate the difference of the proportions with 95% confidence.

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

Normal Curve Areas



z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.0000	.0040	.0080	.0120	.0160	.0199	.0239	.0279	.0319	.0359
0.1	.0398	.0438	.0478	.0517	.0557	.0596	.0636	.0675	.0714	.0753
0.2	.0793	.0832	.0871	.0910	.0948	.0987	.1026	.1064	.1103	.1141
0.3	.1179	.1217	.1255	.1293	.1331	.1368	.1406	.1443	.1480	.1517
0.4	.1554	.1591	.1628	.1664	.1700	.1736	.1772	.1808	.1844	.1879
0.5	.1915	.1950	.1985	.2019	.2054	.2088	.2123	.2157	.2190	.2224
0.6	.2257	.2291	.2324	.2357	.2389	.2422	.2454	.2486	.2517	.2549
0.7	.2580	.2611	.2642	.2673	.2704	.2734	.2764	.2794	.2823	.2852
0.8	.2881	.2910	.2939	.2967	.2995	.3023	.3051	.3078	.3106	.3133
0.9	.3159	.3186	.3212	.3238	.3264	.3289	.3315	.3340	.3365	.3389
1.0	.3413	.3438	.3461	.3485	.3508	.3531	.3554	.3577	.3599	.3621
1.1	.3643	.3665	.3686	.3708	.3729	.3749	.3770	.3790	.3810	.3830
1.2	.3849	.3869	.3888	.3907	.3925	.3944	.3962	.3980	.3997	.4015
1.3	.4032	.4049	.4066	.4082	.4099	.4115	.4131	.4147	.4162	.4177
1.4	.4192	.4207	.4222	.4236	.4251	.4265	.4279	.4292	.4306	.4319
1.5	.4332	.4345	.4357	.4370	.4382	.4394	.4406	.4418	.4429	.4441
1.6	.4452	.4463	.4474	.4484	.4495	.4505	.4515	.4525	.4535	.4545
1.7	.4554	.4564	.4573	.4582	.4591	.4599	.4608	.4616	.4625	.4633
1.8	.4641	.4649	.4656	.4664	.4671	.4678	.4686	.4693	.4699	.4706
1.9	.4713	.4719	.4726	.4732	.4738	.4744	.4750	.4756	.4761	.4767
2.0	.4772	.4778	.4783	.4788	.4793	.4798	.4803	.4808	.4812	.4817
2.1	.4821	.4826	.4830	.4834	.4838	.4842	.4846	.4850	.4854	.4857
2.2	.4861	.4864	.4868	.4871	.4875	.4878	.4881	.4884	.4887	.4890
2.3	.4893	.4896	.4898	.4901	.4904	.4906	.4909	.4911	.4913	.4916
2.4	.4918	.4920	.4922	.4925	.4927	.4929	.4931	.4932	.4934	.4936
2.5	.4938	.4940	.4941	.4943	.4945	.4946	.4948	.4949	.4951	.4952
2.6	.4953	.4955	.4956	.4957	.4959	.4960	.4961	.4962	.4963	.4964
2.7	.4965	.4966	.4967	.4968	.4969	.4970	.4971	.4972	.4973	.4974
2.8	.4974	.4975	.4976	.4977	.4977	.4978	.4979	.4979	.4980	.4981
2.9	.4981	.4982	.4982	.4983	.4984	.4984	.4985	.4985	.4986	.4986
3.0	.4987	.4987	.4987	.4988	.4988	.4989	.4989	.4989	.4990	.4990

SOURCE: Abridged from Table I of A. Hald, *Statistical Tables and Formulas* (New York: Wiley & Sons, Inc.), 1952. Reproduced by permission of A. Hald and the publisher, John Wiley & Sons, Inc.

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

II. Percentage Points of the t Distribution^a

$\nu \backslash \alpha$.40	.25	.10	.05	.025	.01	.005	.0025	.001	.0005
1	.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62
2	.289	.816	1.886	2.920	4.303	6.965	9.925	14.089	23.326	31.598
3	.277	.765	1.638	2.353	3.182	4.541	5.841	7.453	10.213	12.924
4	.271	.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610
5	.267	.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869
6	.265	.727	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959
7	.263	.711	1.415	1.895	2.365	2.998	3.499	4.019	4.785	5.408
8	.262	.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041
9	.261	.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781
10	.260	.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587
11	.260	.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437
12	.259	.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318
13	.259	.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221
14	.258	.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140
15	.258	.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073
16	.258	.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015
17	.257	.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965
18	.257	.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922
19	.257	.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883
20	.257	.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850
21	.257	.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819
22	.256	.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792
23	.256	.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767
24	.256	.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745
25	.256	.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725
26	.256	.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707
27	.256	.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690
28	.256	.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674
29	.256	.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659
30	.256	.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646
40	.255	.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551
60	.254	.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460
120	.254	.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373
∞	.253	.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291

ν = degrees of freedom.

^aAdapted with permission from *Biometrika Tables for Statisticians*, Vol. 1, 3rd edition, by E. S. Pearson and H. O. Hartley, Cambridge University Press, Cambridge, 1966.

考試科目	統計學	所別	統計學系	考試時間	12月2日 10:00-11:40
------	-----	----	------	------	-------------------

IV. Percentage Points of the F Distribution (continued)

$F_{0.05, p_1, p_2}$	Degrees of Freedom for the Numerator (p_1)															p_2			
	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30		40	60	120
2	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.9	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
3	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
4	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
5	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
6	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
7	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
8	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
9	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
10	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
11	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
12	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
13	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
14	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.46	2.42	2.38	2.34	2.30	2.25	2.21
15	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.39	2.35	2.31	2.27	2.22	2.18	2.13
16	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
17	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
18	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
19	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
20	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
21	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
22	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
23	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
24	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
25	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
26	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
27	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
28	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
29	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
30	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
40	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
60	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
120	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
∞	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00